## Amendments to the Claims:

The following listing of claims replaces all prior versions, and listings, of claims in the application:

1. (Currently Amended) A method of protecting security of a network server from unauthorized content contained in a message received by said server from a user, comprising:

intercepting said message before any content of said message is processed by said server; examining said message to determine if it contains one or more unauthorized elements; the examining comprising:

receiving identification of an execution program set to be used to process said message received:

retrieving identification of all message types associated with said execution program set;

examining said message received by said server in relation to said message types associated with said execution program set; and

determining if said message received by said server contains an unauthorized element in relation to the corresponding message type for said message received; if it is determined that said message contains an unauthorized element preventing said message received from being processed by said server;

if it is determined that said message does not contain an unauthorized element allowing said message received to be processed by said server.

- 2. (Original) The method of claim 1 wherein, if it is determined that said message received contains an unauthorized element, preventing said message received from being processed by said server, and causing an error notification to be sent to said user.
- 3. (Cancelled).
- 4. (Currently Amended) The method of claim 3 1 wherein, if it is determined that said message received contains an unauthorized element, causing an error notification to be sent to said user.
- 5. (Currently Amended) A method of protecting security of an Internet network server from unauthorized content contained in a message received over the Internet by said server from a user, comprising:

intercepting said message before any content of said message is processed by said server; examining said message to determine if it contains one or more unauthorized elements; the examining comprising:

receiving identification of an execution page to be used to process said message received;

retrieving identification of all message types associated with said execution page;

examining said message received by said server in relation to said message types
associated with said execution page; and

determining if said message received by said server contains an unauthorized element in relation to a corresponding message type for said message received;

10/084,567

if it is determined that said message contains an unauthorized element, preventing said message received from being processed by said server;

if it is determined that said message received does not contain an unauthorized element, allowing said message received to be processed by said server.

- 6. (Original) The method of claim 5 wherein, if it is determined that said message received contains an unauthorized element preventing said message received from being processed by said server, causing an error notification to be sent to said user.
- 7. (Cancelled).
- 8. (Currently Amended) The method of claim 7 5 wherein, if it is determined that said message received contains an unauthorized element, causing an error notification to be sent to said user.
- 9. (Original) The method of claim 8 wherein, if it is determined that said message received does not contain an unauthorized element, allowing said message received to be processed by said server.
- 10. (Currently Amended) The method of claims 1, or 5, or 7 wherein said message comprises a name-value pair.

10/084,567

- 11. (Original) The method of claim 10 wherein said element comprises one or more of the following items: an instruction, a command, a character, a parameter, a token, or a string of any of said previous items.
- 12. (Original) The method of claims 11 wherein said element is interpretable as an instruction or command by said server.
- 13. (Currently Amended) Security control apparatus for controlling the security of a network server from unauthorized content contained in a message received from a user of said server comprising:

means for intercepting said message received before any content of said message is processed by said server;

means for examining said message received to determine if it contains one or more unauthorized elements, the means for examining further comprising:

means for receiving identification from said user of an execution page retrievable by said server to be used to process said message received:

means for retrieving identification of message types associated with said execution page from facilities associated with said server;

means for examining said message received by said server in relation to said message types associated with said execution page; and

means for determining if said message received by said server contains an unauthorized element in relation to a corresponding message type for said message

10/084,567 Page 5 of 10

## received;

means for preventing said message received from being processed by said server if it is determined that said message received contains an unauthorized element;

means for allowing said message received to be processed by said server if it is determined that said message received does not contain an unauthorized element.

- 14. (Currently Amended) The apparatus of claim 14 13 wherein said network server comprises an Internet network server and said message is received over the Internet by said server from a user.
- 15. (Original) The apparatus of claim 13 or 14 further comprising means for returning an error message to said user.
- 16. (Cancelled).
- 17. (Cancelled).
- 18. (Currently Amended) The apparatus of claim 17 13 wherein said message comprises a name-value pair and said element is contained by said name-value pair.
- 19. (Original) The apparatus of claim 18 wherein said element comprises one or more of the following items: an instruction, a command, a character, a parameter, a token, or a string of any

10/084,567

of said previous items.

20. (Original) The apparatus of claim 19 wherein said element is interpretable as an instruction or command by said server.